



佛山锐耀源进出口有限公司

Foshan Ruiyaoyuan Import and Export Co.,Ltd

☎ Tel:+86 181 5170 6391

✉ Email: sales@ryyexp.com

🌐 Web:www.ryyexp.com


📍 Add:No. 05, Nanliu Road, B2 District, Shunde District, Foshan City, Guangdong Province,China

佛山锐耀源进出口有限公司

Foshan Ruiyaoyuan Import and Export Co.,Ltd

Where Reliability Meets Steel: Your Premier Supplier

WHAT WE DO



Our mission is to provide high-quality metal materials while promoting sustainability and building lasting relationships with our customers and partners.

我们的使命是提供高质量的金属材料,同时促进可持续发展并与我们的客户和合作伙伴建立持久的关系。

CONTENT 目录

01	企业简介 Enterprise Profile	01
02	企业文化 Enterprise Culture	05
03	产品介绍 Product Introduction	07
04	生产加工车间 Working Shop & Process Center	13
05	库存中心 Inventory Center	14
06	包装, 装柜 Packing & Loading	15
07	国际色卡对照表 Ral Raul Color Card	16

企业简介

ENTERPRISE PROFILE

Foshan Ruiyaoyuan Import and Export Co., Ltd. is a professional company engaged in the export trade of steel products. Established in July 2010, the company is located in Foshan, Guangdong, China.

The company's main business is the export of high-quality steel products, including steel coils, sheets, plates, pipes, and other related products. Foshan Ruiyaoyuan Import and Export Co., Ltd. primarily exports to Southeast Asia, the Middle East, Africa, and South America. The company has a reputation for delivering high-quality products to its customers worldwide.

In addition to steel export trade, Foshan Ruiyaoyuan Import and Export Co., Ltd. provides comprehensive services such as warehousing, transportation, and customs clearance. The company is committed to providing customers with professional and efficient services, ensuring that their products are delivered on time and in good condition.

Foshan Ruiyaoyuan Import and Export Co., Ltd. has a team of experienced professionals who work closely with customers to understand their needs and provide customized solutions. The company's mission is to provide customers with the best products and services, while maintaining the highest standards of quality, integrity, and professionalism.

With years of experience in the steel export trade, Foshan Ruiyaoyuan Import and Export Co., Ltd. has established a strong reputation in the industry. The company is dedicated to building long-term relationships with its customers by providing them with excellent products and services, competitive prices, and timely delivery.

If you are looking for a reliable partner in the steel export trade, Foshan Ruiyaoyuan Import and Export Co., Ltd. is your best choice. The company's commitment to excellence and customer satisfaction is unmatched in the industry.

佛山市锐耀源进出口有限公司是一家专业从事钢材出口贸易的公司。公司成立于2010年7月，位于中国广东省佛山市。

公司主营业务为优质钢材出口，包括钢卷、板、管等相关产品。佛山市锐耀源进出口有限公司主要出口东南亚、中东、非洲、南美洲。该公司可以向全球客户提供高质量产品而闻名。

佛山市锐耀源进出口有限公司除钢材出口贸易外，还提供仓储、运输、报关等综合服务。公司致力于为客户提供专业高效的服务，确保他们的产品按时、完好地交付。

佛山锐耀源进出口有限公司拥有一支经验丰富的专业团队，与客户密切合作，了解他们的需求并提供定制的解决方案。公司的使命是为客户提供最好的产品和服务，同时保持最高的质量、诚信和专业标准。

凭借多年的钢材出口贸易经验，佛山市锐耀源进出口有限公司在业内树立了良好的口碑。公司致力于通过为客户提供优质的产品和服务、有竞争力的价格和及时的交货，与客户建立长期的关系。

如果您正在寻找可靠的钢材出口贸易合作伙伴，佛山市锐耀源进出口有限公司是您的最佳选择。公司对客户满意度的承诺在业内是无与伦比的。



History

发展历程



2010

Foshan Ruiyaoyuan Import and Export Co., Ltd. is established in July 2010.

The company begins exporting steel products, including coils, sheets, plates, and pipes.

Foshan Ruiyaoyuan expands its product range to include more specialized steel products, such as stainless steel and carbon steel, alloy steel, galvanized steel.

The company establishes partnerships with several major steel mills in China to ensure a stable supply of high-quality products.

2014

The company sets up a warehouse facility to store products before export.

Foshan Ruiyaoyuan starts providing transportation services to customers, ensuring that products are delivered on time and in good condition.

The company expands its market reach by exporting to new regions, including Southeast Asia and the Middle East.

Foshan Ruiyaoyuan hires additional staff to support its growing customer base.

2019

We celebrate its 10-year anniversary and reflect on its success in becoming a leading exporter of high-quality steel products.

The company continues to invest in its operations and expand its market reach, with a focus on providing the best possible products and services to its customers.

We expand its product range to include more eco-friendly options, such as recycled steel.

The company celebrates its 12th anniversary and looks back on its achievements over the past decade.

Foshan Ruiyaoyuan establishes a new partnership with a major steel mill, further expanding its supply chain capabilities.

The company introduces new technology solutions to improve its customer service and streamline its operations.

By creating a timeline that tracks your company's development over time, you can gain valuable insights into your business and its growth. This can help you identify areas for improvement, capitalize on opportunities for expansion, and celebrate your achievements along the way.

2012

2022

企业文化

Enterprise Culture



Integrity: We uphold the highest ethical standards, treating our employees, clients, and partners with honesty and respect. Trust is the cornerstone of our relationships, and we hold ourselves accountable for our actions.



Excellence: We strive for excellence in everything we do. We encourage our employees to set ambitious goals, continuously learn and develop their skills, and deliver outstanding results that exceed expectations.



Collaboration: We believe in the power of collaboration. We foster an inclusive and diverse workplace where every voice is valued, and teamwork is celebrated. By leveraging the collective intelligence of our talented individuals, we drive innovation and achieve remarkable outcomes.



Customer-Centricity: Our customers are at the heart of everything we do. We listen attentively to their needs, anticipate their expectations, and go above and beyond to deliver exceptional experiences. We are committed to building long-lasting relationships based on trust and mutual success.



Growth Mindset: We embrace a growth mindset, continuously pushing the boundaries of what's possible. We encourage experimentation, embrace failure as a learning opportunity, and nurture a culture of continuous improvement. Our employees are encouraged to explore new ideas and challenge the status quo.



Work-Life Balance: We understand the importance of work-life balance and the well-being of our employees. We strive to create a supportive and flexible environment that allows individuals to thrive both personally and professionally.



OUR TEAM

OFFICE ENVIRONMENT

产品介绍

Product Introduction

Galvanized Steel

Galvanized steel is among the most popular steel types because of its extended durability, having the strength and formability of steel plus the corrosion protection of the zinc-iron coating. The zinc protects the base metal by acting as a barrier to corrosive elements, and the sacrificial nature of the coating results in a long-lasting and high-quality steel product. This versatility makes it applicable to a variety of projects and industries, including agriculture, solar, automotive, construction, and so on. Below, we aim to provide a comprehensive description of how galvanized steel is processed, different galvanization methods, its benefits, and how it is used in these various industries.

镀锌板

Galvanized Steel Plate/Sheet

Grade : GR.A, GR.B, SGCC, CGCC, SPCC, SPHC, DX 51D, DX52D, etc
 Thickness : 0.25-150mm
 Width : 1000,1250, 1500, 2000 or customized
 Length : 2000, 2500,3000,6000 or customized
 Standard : ASTM-A653, ASTM a153, JIS G3302, EN10147, etc.
 Zinc Coating : Z30g - 275g / m2
 Surface Structure : Regular spangle,Minimum spangle, Zero spangle, Big spangle
 Hardness : Soft Hard (HRB 60), Medium Hard (HRB60-85), Full Hard (HRB 85-95)
 Surface Treatment : Oiled (O), Chromium (C),Phosphating (P), Spinpass Resistant to Fingerprints(AFP)

等级: GRA, GR.B, SGCC, CGCC, SPCC, SPHC, DX 51D, DX52D, etc
 厚度: 0.25-150mm
 宽度: 1000,1250,1500, 2000 或定制
 长度: 2000, 2500,3000,6000 或者定制
 执行标准: ASTM-A653, ASTM a153, JIS G3302, EN10147, etc.
 镀锌层: Z30g - 275g/m2
 表面结构: 普通锌花, 小锌花, 无锌花, 大锌花
 硬度: 软硬(HRB60), 中硬(HRB60-85), 全硬(HRB85-95)
 表面处理: 油(O), 铬(C), 磷化(P), 抗指纹(AFP)



镀锌卷

Galvanized Steel Coil

Material : SGCC CGCC TDC51DZM TDC52DTS350GD TS550GD DX51D+Z(ZF)
 Thick : 0.12 ~6.0 mm
 Width : 600-1500mm
 Standard : ASTM-A653; ASTM A153; JIS G3302; EN10147; DS ; etc
 Zinc Coating : Z30-275g/m2
 Surface Structure : Regular spangle,Minimum spangle, Zero spangle, Big spangle
 Package : Standard exporting packing, seaworthy package

等级: SGCC CGCC TDC51DZM TDC52DTS350GD TS550GD DX51D+Z(ZF)
 厚度: 0.12~6.0 mm
 宽度: 600-1500mm
 标准: ASTM-A653; ASTM A153; JIS G3302; EN10147; DS; ETC
 镀锌层: Z30-275g/m2
 表面结构: 普通锌花, 小锌花, 无锌花, 大锌花
 包装: 标准出口包装, 适航包装



镀锌管

Galvanized Steel Pipe

Material : 10# 20# 45# 16Mn A53(A,B) Q235 Q345 Q195 Q215 St37 St42 St37-2 St35.4 St52.4 ST35
 Wall Thickness : 0.6mm-20mm
 Outer Diameter : 20mm-610mm
 Length : As customer requirements
 Section shape : Round ,square,rectangular, etc.
 Samples : Free samples are provided
 Package : Export standard packing or according to customers' requirement.

等级: 10# 20# 45# 16Mn A53(A,B) Q235 Q345 Q195 Q215 St37 St42 St37-2 St35.4 St52.4 ST35
 壁厚: 0.6mm-20mm
 外径: 20mm-610mm
 长度: 根据客户要求
 截面形状: 圆形, 方形, 矩形等。
 样品: 提供免费样品
 包装: 出口标准包装或按客户要求包装。



彩涂镀锌钢卷

Prepainted Galvanized Steel Coil (PPGI)

Grade : SGCC, CGCC, SPCC, SPHC, DX 51D, DX52D, etc
 Width : 600mm to 1500mm
 Thickness : 0.12mm to 1.5mm
 Standard : ASTM, JIS, GB/T, EN
 Zinc coating : 40g/m² to 275g/m²
 Substrate : Cold rolled Substrate / Hot rolled Substrate
 Color : Ral Color System or as per buyer's color sample
 Surface treatment : Chromated and oiled, and anti-fingerprint
 Packing : Dust-proof kraft sheet, Iron packing, Angle protective, Packing belt.



等级: SGCC, CGCC, SPCC, SPHC, DX 51D, DX52D, etc
 宽度: 600mm 到 1500mm
 厚度: 0.12mm 到 1.5mm
 执行标准: ASTM, JIS, GB/T, EN
 镀锌层: 40g/m² 到 275g/m²
 基板: 冷轧基板/热轧基板
 颜色: 劳尔色卡或者根据客样颜色定制
 表面处理: 铬酸盐和油, 抗指纹
 包装: 防尘牛皮纸, 铁质包装, 护角, 打包带。



GI 屋顶钢板

GI Roofing Steel Sheet

Thickness : 0.12-6.00mm, or as request
 Width : 650-930mm, 600-1500mm or as request
 Length : 2m 3m 5m 5.8m 6m 8m 11.8m
 Type of Coating : Hot Dipped Galvanized Steel (HDGI) / Electro-Galvanized Steel (EGI)
 Surface treatment :
 1. Galvanized
 2. PVC, Black and color painting
 3. Transparent oil, anti-rust oil
 4. According to clients requirement

厚度: 0.12-6.00mm 或者根据要求
 宽度: 650-930mm, 600-1500mm 或者根据要求
 长度: 2m 3m 5m 5.8m 6m 8m 11.8m
 镀层类型: 热镀锌钢 (HDGI) / 电镀锌钢 (EGI)
 表面处理:
 1. 镀锌
 2. PVC, 黑色和彩色涂装
 3. 透明油, 防锈油
 4. 根据客户要求



Carbon Steel

Carbon steel is a steel with carbon content from about 0.05 up to 2.1 percent by weight. As the carbon percentage content rises, steel has the ability to become harder and stronger through heat treatment; however, it becomes less ductile. Regardless of the heat treatment, a higher carbon content reduces weldability. In carbon steels, the higher carbon content lowers the melting point.

Carbon steel is broken down into four classes based on carbon content:

Low-carbon steel
 0.05 to 0.15% carbon (plain carbon steel) content.

Medium-carbon steel
 Approximately 0.3–0.5% carbon content.[1] Balances ductility and strength and has good wear resistance; used for large parts, forging and automotive components.

High-carbon steel
 Approximately 0.6 to 1.0% carbon content. Very strong, used for springs, edged tools, and high-strength wires.

Ultra-high-carbon steel
 Approximately 1.25–2.0% carbon content. Steels that can be tempered to great hardness. Used for special purposes like (non-industrial-purpose) knives, axles, and punches. Most steels with more than 2.5% carbon content are made using powder metallurgy.

碳钢板

Carbon Steel Plate/Sheet



Material : Q235A, Q235B, S235JR, S355JR, STE255, WSTE255, A36, A283, A573, 65#, 70#, according to request
 Thickness : 0.3-150mm
 Width : 1000, 1250, 1500, 2000mm or customized
 Length : 2000, 2500, 3000, 6000mm or as customized
 Standard : ASTM, AISI, DIN, EN, BS, SUS, JIS
 Finish : Electroplate, Pickling
 MOQ : 20 Tons
 Samples : Free samples are provided
 Package : Export standard packing or according to customers' requirement.

等级: Q235A, Q235B, S235JR, ST33, STE255, WSTE255, A36, A283, A573, 65#, 70#, 或者根据客户需求
 厚度: 0.3-150mm
 宽度: 1000, 1250, 1500, 2000mm 或者根据客户需求
 长度: 2000, 2500, 3000, 6000mm 或者根据客户需求
 执行标准: ASTM, AISI, DIN, EN, BS, SUS, JIS
 表面: 电镀, 酸洗
 最小起订量: 20吨
 样品: 提供免费样品
 包装: 出口标准包装或按客户要求包装。



碳钢卷

Carbon Steel Coil

Material : Q235A, Q235B, S235JR, ST33, STE255, WSTE255, A36, A283, A573, 65, 70, SPCC, SPDC, SPCE, DC01/St12
 Thickness : 0.25-14mm
 Width : 1000, 1250, 1500, 1800, 2000mm or customized
 Length : Coil or customized
 Standard : JIS, AISI, ASTM, GB, DIN, EN, etc.
 Finish : Electroplate, Pickling
 MOQ : 20 Tons
 Samples : Free samples are provided
 Package : Standard exporting packing, seaworthy package



等级: Q235A, Q235B, S235JR, ST33, STE255, WSTE255, A36, A283, A573, 65, 70, SPCC, SPDC, SPCE, DC01/St12
 厚度: 0.25-14mm
 宽度: 1000, 1250, 1500, 1800, 2000mm 或者根据客户需求
 长度: 卷或者根据客户需求
 执行标准: JIS, AISI, ASTM, GB, DIN, En等
 表面: 电镀, 酸洗
 最小起订量: 20吨
 样品: 提供免费样品
 包装: 出口标准包装或按客户要求包装。



碳钢压花板

Embossed Carbon Steel Plate

Material : Q235A, Q235B, S235JR, ST33, STE255, WSTE255, A36, A283, A573, 65, 70, according to request
 Thickness : 0.3-150mm
 Width : 1000, 1250, 1500, 2000mm or customized
 Length : 2000, 2500, 3000, 6000mm or customized
 Standard : ASTM, AISI, DIN, EN, BS, SUS, JIS
 Finish : Electroplate, Pickling
 MOQ : 20 Tons
 Samples : Free samples are provided
 Package : Export standard packing or according to customers' requirement.

等级: Q235A, Q235B, S235JR, ST33, STE255, WSTE255, A36, A283, A573, 65, 70, 或者根据客户需求
 厚度: 0.3-150mm
 宽度: 1000, 1250, 1500, 2000mm 或者根据客户需求
 长度: 2000, 2500, 3000, 6000mm 或者根据客户需求
 执行标准: ASTM, AISI, DIN, EN, BS, SUS, JIS
 表面: 电镀, 酸洗
 最小起订量: 20吨
 样品: 提供免费样品
 包装: 出口标准包装或按客户要求包装。



碳钢管

Carbon Steel Pipe/Tube

Material : 10#, 20#, Q195, Q235, according to request
 Out Diameter : 100-3200mm
 Wall Thickness : 2-50mm
 Length : 1-12m, or as customer's requirements.
 Standard : AISI, ASTM, GB, DIN, BS, JIS
 Samples : Free samples are provided
 MOQ : 20 Tons
 Package : Export standard packing or according to customers' requirement.

等级: 10#, 20#, Q195, Q235 或者根据客户需求
 外径: 100-3200mm
 壁厚: 2-50mm
 长度: 1-12m 或者根据客户需求
 执行标准: AISI, ASTM, GB, DIN, BS, JIS
 最小起订量: 20吨
 包装: 出口标准包装或按客户要求包装。



生产加工车间

Working Shop & Process Center



库存中心

Inventory Center



包装, 装柜

Packing & Loading



国际色卡对照表

Ral Raul Color Card

